-	Application No.	Applicant(s)
	09/900,910	HIGASHIYAMA ET AL.
Notice of Allowability	Examiner	Art Unit
	Adam Arnold	2671
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 7/17/2004.		
2. The allowed claim(s) is/are <u>1-13</u> .		
3. The drawings filed on <u>09 July 2001</u> are accepted by the Examiner.		
 3. ☑ The drawings filed on 09 July 2001 are accepted by the Examiner. 4. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL. must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Da 08), 7. Examiner's Amend	Patent Application (PTO-152) (PTO-413), ate Iment/Comment ent of Reasons for Allowance

Application/Control Number: 09/900,910

Art Unit: 2671

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-13 are allowable.

The following is a statement of reasons for allowance: The prior art does not does not anticipate, nor does it suggest, the invention as claimed in claims 1-13. The prior art does not disclose a 3D image processing unit comprising a first memory for storing a rendered model image as a collection of pixel data, a second memory for storing a distance information relating a distance from a viewing point of a simulated camera to the rendered model image in correspondence with each pixel position, an image processing means for applying averaging and semitransparent processing to each pixel data read from the first memory, a rewriting means for rewriting the pixel data from the image processing means at the same pixel position as that of the first memory from which the pixel data was read when said distance information from the viewing point of the simulated camera is a specified reference value or larger, and a control means for causing the image processing means and the rewriting means to repeatedly operate only a specified number of times each successively increasing the specified reference value and successively increasing a degree of transparency of pixels having distance data equal to or greater than the specified reference value such that pixels having distances further from the simulated camera position appear with greater transparency than pixels having distance closer to the simulated camera position.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 09/900,910

Art Unit: 2671

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adam Arnold whose telephone number is 703 305 8413. The examiner can normally be reached on Monday through Friday from 7:30 A.M. to 4:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Zimmerman, can be reached on 703 305 9798. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MARK ZIMMERMAN
SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600